

UNCLASSIFIED

AD 296 408

*Reproduced
by the*

**ARMED SERVICES TECHNICAL INFORMATION AGENCY
ARLINGTON HALL STATION
ARLINGTON 12, VIRGINIA**



UNCLASSIFIED

7

NOTICE: When government or other drawings, specifications or other data are used for any purpose other than in connection with a definitely related government procurement operation, the U. S. Government thereby incurs no responsibility, nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use or sell any patented invention that may in any way be related thereto.

Quarterly Progress Report 2

Covering the Period 1 September to 30 November 1962

OBJECTIVE AND DYNAMICAL STUDIES OF TROPICAL WEATHER PHENOMENA

Prepared for:

U.S. ARMY ELECTRONIC RESEARCH AND DEVELOPMENT LABORATORY
FORT MONMOUTH, NEW JERSEY

CONTRACT DA 36-039 SC-89092
PROJECT 3A99-27-025-09-00

STANFORD RESEARCH INSTITUTE

MENLO PARK, CALIFORNIA

*SRI

296 408

Qualified requestors may obtain copies of this document from ASTIA.



Quarterly Progress Report 2

Covering the Period 1 September to 30 November 1962

OBJECTIVE AND DYNAMICAL STUDIES OF TROPICAL WEATHER PHENOMENA

Prepared for:

U.S. ARMY ELECTRONIC RESEARCH AND DEVELOPMENT LABORATORY
FORT MONMOUTH, NEW JERSEY

CONTRACT DA 36-039 SC-89092
PROJECT 3A99-27-025-09-00

By: R. M. Endlich R. L. Mancuso

Objective: To carry out research leading to the development of objective methods of analyzing and forecasting tropical weather, and concerning the dynamics of tropical circulations.

Copy No. 31.....

CONTENTS

LIST OF ILLUSTRATIONS.	111
LIST OF TABLES	111
PURPOSE.	iv
ABSTRACT	v
I PUBLICATIONS, LECTURES, REPORTS, AND CONFERENCES. . . .	1
II FACTUAL DATA.	2
A. Task 1	2
B. Task 2	2
C. Task 3	11
III PROGRAM FOR THE NEXT QUARTER.	12
IV PERSONNEL	13
REFERENCES	14
ABSTRACT CARD	
DISTRIBUTION LIST	

ILLUSTRATIONS

Fig. 1	Winds, Heights, and Streamfunction in Layer II (850-700 mb) at 00 GCT, 5 May 1959.	3
Fig. 2	Winds, Heights, and Streamfunctions in Layer V (350-200 mb).	3
Fig. 3	Relative Humidity in Layer II, and Vertical Motions at 700 mb	4
Fig. 4	Flow Diagram of Computations.	5
Fig. 5	Relative Vorticity and Divergence in Layer II . . .	10
Fig. 6	Relative Vorticity and Divergence in Layer V. . . .	10

TABLES

Table I	Comparison of Height (Z) and Streamfunction (ψ^*) During the Period 00 GCT 5 May 1959 to 00 GCT 6 May 1959 in the Caribbean (30 Stations)	8
Table II	Average Magnitudes of Dynamical Terms	11

PURPOSE

The purpose of this research is to furnish knowledge that can be used in the development of objective methods of analyzing and forecasting tropical weather and in understanding the dynamics of tropical weather phenomena. It is planned that the objective techniques will be designed for electronic computation in order to gain speed and accuracy, and to reduce personnel requirements in an operational situation. The investigations are divided into the following tasks:

- (1) Analyze the surface weather, the three-dimensional structure, the changes with time, and the movement, of selected cases of representative meteorological phenomena, by using conventional methods. If practicable, Tiros data will be included in the analysis.
- (2) Investigate and, insofar as possible, develop objective analysis techniques applicable to tropical phenomena and compare the objective analyses with the analyses of Task (1) above.
- (3) Utilizing the analyses of Tasks (1) and (2) above, carry out dynamical studies of such topics as the forces predominant in various phenomena, the conservation of fields of vorticity, divergence and deformation, and the importance of orography and low-level energy inputs.

ABSTRACT

During the second quarter, IBM card data for the Caribbean for the period 5-8 May 1959 were processed in the form of layer averages of wind components, height, temperature, and relative humidity. The averaged quantities were mapped by the computer, and subjective analyses were partially completed. A computer program for obtaining a streamfunction was completed. The streamfunction is made to fit observed winds, while observed heights are used as an initial guess. No boundary conditions are required. A preliminary analysis indicates that the results are quite satisfactory. Analyses of computed values of vorticity, divergence, and vertical motion were also begun, and average magnitudes of these quantities were determined.

I PUBLICATIONS, LECTURES, REPORTS, AND CONFERENCES

Publications, Lectures, and Reports

On 14 September 1962, a paper entitled "Some Applications of Computers in Tropical Analysis" was presented by R. M. Endlich at the Fourth Conference on Applied Meteorology at Fort Monroe, Virginia. This paper summarized the approach which is being pursued in the contractual work and followed the material presented in the First Quarterly Progress Report.

Conferences

The Chief Signal Officer, Major General E. Cook, visited the Institute on 5 September 1962. During his visit, Mr. Endlich and Dr. Ligda outlined the contractual work and discussed tropical meteorology with him.

On 12 September 1962, a discussion and review of the contractual work took place at Fort Monroe between Mr. Endlich of SRI, and Mr. Raymond Bellucci and Mr. Joseph Walsh of the Atmospheric Physics Branch, USAERDL.

II FACTUAL DATA

A. Task 1

The IBM card data for the Caribbean for the period 5-8 July 1959 were processed in the form of layer averages of height, temperature, relative humidity, and wind components. Analyses of the various quantities (drawing of isolines) are partially completed. Examples of layer-averaged winds and heights are shown in Figs. 1 and 2, and will be discussed in more detail in Sec. II-B. A point of considerable interest is that the layer-averaged humidity fields (see Fig. 3) consist of fairly large, regular patterns. It is believed that this fact will be important in analysis of clouds and precipitation and possibly also in estimating vertical motions from wind and humidity data. Since the analyses for the entire series are not complete, further discussion will be deferred to the next quarterly report.

B. Task 2

In regard to the development of objective analysis techniques, a number of basic computer programs for the Caribbean have been completed. The programs are indicated in Fig. 4. It is believed that they provide a means of rapidly obtaining values of most quantities of meteorological interest. Output can be in tabular form or printed at station locations (i.e., mapped).

In the First Quarterly Status Report, the need for an objective, numerical streamfunction to replace conventional subjective streamlines was discussed. During the present quarter, a machine program for computing a numerical streamfunction was completed. The results to date are very satisfactory. Since we anticipate that the technique will be described fully in a future scientific report, only a summary will be included at the present time. The horizontal wind vector \mathbf{W} is represented by a streamfunction ψ^* as follows:

$$\mathbf{W} = (g/f) (\mathbf{k} \times \nabla \psi^*) \quad (1)$$




FIG. 1 WINDS, HEIGHTS, AND STREAMFUNCTION IN LAYER II (850-700 mb)
AT 00 GCT, 5 MAY 1959




FIG. 2 WINDS, HEIGHTS, AND STREAMFUNCTIONS IN LAYER V (350-200 mb)





FIG. 3 RELATIVE HUMIDITY IN LAYER II, AND VERTICAL MOTIONS AT 700 mb

OBJECTIVE ANALYSIS PROGRAMS



RB-4129-8

FIG. 4 FLOW DIAGRAM OF COMPUTATIONS

where ψ^* has the units of meters.[†] It is assumed that divergent wind components can be suppressed by an areal averaging process. The equations relating wind components and the streamfunction are

$$u = - (g/f) (\partial\psi^*/\partial y), \quad v = (g/f) (\partial\psi^*/\partial x) \quad . \quad (2)$$

Since wind observations are the primary data used in tropical analysis, observed values of u and v are used to determine values of $\partial\psi^*/\partial y$ and $\partial\psi^*/\partial x$, and thence values of ψ^* . Consider a pair of stations separated by distance increments δx and δy . The streamfunction difference between them is

$$\delta\psi^* = (\partial\psi^*/\partial x) \delta x + (\partial\psi^*/\partial y) \delta y = (f/g) (v\delta x - u\delta y) \quad (3)$$

where the appropriate values of u , v , and f are the average values along a line joining the stations. These averages may be taken as $(u_o + u_i)/2$, $(v_o + v_i)/2$, and $(f_o + f_i)/2$, where the subscript o denotes values at the station of interest and i denotes values at a neighboring station. Then Eq. (3) becomes

$$\psi_o^* = \psi_i^* + \frac{(f_o + f_i)}{2g} \left[\frac{(v_o + v_i)(x_o - x_i)}{2} - \frac{(u_o + u_i)(y_o - y_i)}{2} \right] \quad . \quad (4)$$

An equation of this form may be obtained between station o and each of its n neighbors--i.e., $i = 1, 2, \dots, n$.

A reasonable estimate of ψ_o^* might be taken as the average of the individual estimates--i.e.,

$$\psi_o^* = \frac{1}{n} \sum_{i=1}^n \psi_i^* + \frac{1}{4gn} \sum_{i=1}^n (f_o + f_i) [(v_o + v_i)(x_o - x_i) - (u_o + u_i)(y_o - y_i)] \quad . \quad (5)$$

[†] Since f approaches zero as the equator is approached, it is desirable to avoid the use of f in equatorial regions. This can be done simply by setting $W = k \times \nabla\psi$ (where ψ has the units $m^2 sec^{-1}$) or by placing a fictitious lower limit on f .

However, experience in objective analysis in mid-latitudes has shown that observations should be weighted inversely with their distance from the point of interest.^{1,2†} Therefore, one estimate $(\psi_o^*)_1$ is obtained by considering all stations lying within a radius of 5 degrees of latitude and a second estimate $(\psi_o^*)_2$ is obtained by considering stations lying between 5 and 9 degrees of latitude away. The two estimates are then combined as

$$\psi_o^* = \mu_1 (\psi_o^*)_1 + \mu_2 (\psi_o^*)_2 \quad (6)$$

where μ_1 and μ_2 are weighting factors presently set at 0.8 and 0.2. The entire field of observing stations is scanned in this manner, producing adjusted values of ψ^* which are immediately substituted for the previous ones according to the Liebmann iteration process. The initial values of ψ_1^* at each station are taken equal to the reported heights Z_1 . Several scans of the field are performed until nearly convergent values of ψ^* are obtained. The average of the computed values of streamfunction remains approximately equal to the average of the heights used as the initial guess. It was assumed at the outset that the divergent wind components would be suppressed. Since the computation of ψ^* at each station depends upon several winds out to a radius of 9° of latitude, the divergent features are automatically suppressed by the computational procedure.

The direct streamfunction computation described above appears to have several advantages over other possible formulations. The general approach is simple in principle. The use of boundary conditions is avoided. It is not necessary to use a rectangular grid. The computed values of ψ^* can be compared directly with observed heights. Wind estimates made from satellite data could be utilized in the system. At present, total machine time for computing ψ^* in each of six layers and printing out the computed values in mapped form is about 10 minutes using the Burroughs 220 computer.

[†]References are listed at the end of the report.

A qualitative assessment of the computed streamfunction can be made by inspection of Figs. 1 and 2, which show layered-averaged winds, heights, and streamfunction. Layers II and V are representative of the lower and upper troposphere, respectively. Note the agreement of winds and streamfunction in contrast to the lack of reasonable relationships between winds and height contours. (Twelve hours after the charts shown, the correspondence of heights and winds was even less satisfactory.) A preliminary quantitative evaluation can be made from the information contained in Table I. The first quantity is the root-mean-square (RMS) value of the observational error in height (Z). The second quantity is the RMS value of the difference between Z and the streamfunction ψ^* . The other four quantities are RMS values of 12-hour and 24-hour changes of height and streamfunction. It is interesting to note that the RMS 12-hour height changes exceed the 24-hour changes, contrary to expectations.

Table I

COMPARISON OF HEIGHT (Z) AND STREAMFUNCTION (ψ^*)
DURING THE PERIOD 00 GCT, 5 MAY 1959 TO 00 GCT, 6 MAY 1959
IN THE CARIBBEAN (30 STATIONS)

<u>Layer II</u>	RMS Error of Z	≈ 5 m
	RMS (Z - ψ^*)	= 9 m
	RMS 12-hour height change	= 13 m
	RMS 24-hour height change	= 9 m
	RMS 12-hour ψ^* change	= 5 m
	RMS 24-hour ψ^* change	= 9 m
<u>Layer V</u>	RMS Error of Z	≈ 20 m
	RMS (Z - ψ^*)	= 27 m
	RMS 12-hour height change	= 31 m
	RMS 24-hour height change	= 26 m
	RMS 12-hour ψ^* change	= 15 m
	RMS 24-hour ψ^* change	= 17 m

The reason for this result has not yet been investigated. However, the main point of interest is a comparison of streamfunction changes and height changes. The smaller values of streamfunction changes indicate that streamfunction is a considerably more persistent quantity than height. In fact, in Layer V the RMS streamfunction change is slightly smaller than the RMS error of height. These results are very encouraging.

As indicated in Fig. 4, values of vorticity, divergence, deformation, and vertical motion have been computed from wind data by use of the triangle technique.³ Examples of the computed values in Layers II and V are shown in Figs. 5 and 6 for purposes of illustration. In Layer II, the relative vorticity (solid lines) is negative in the anticyclone (Fig. 1) and positive in two centers related to the trough in the southeastern portion of the Caribbean. The divergence field contains four centers of size sufficient to insure that they are real. The vertical motion at the top of Layer II is shown as part of Fig. 3. The vertical motion is predominantly negative (downward) except in the region of the trough, and appears to have a reasonable correspondence with the humidity field.

In Layer V, the vorticity field (Fig. 6) consists of four main centers which appear to characterize important features of the flow shown in Fig. 2. The northwesterly jet lying west of Florida has cyclonic relative vorticity on the low-pressure side and anticyclonic vorticity on the other side. The streamline trough is a region of cyclonic vorticity, and the south side of the jet lying east of the trough is a region of anticyclonic vorticity. The divergence field in Layer V contains a major center of convergence over the Gulf of Mexico in advance of an isotach maximum. The other centers are apparently related to the trough and jet stream.

At this time we have not attempted to evaluate the computed values of divergence, vorticity, etc., nor to determine their proper use in analysis and forecasting. These subjects require a considerable amount of further study.




FIG. 5 RELATIVE VORTICITY AND DIVERGENCE IN LAYER II




FIG. 6 RELATIVE VORTICITY AND DIVERGENCE IN LAYER V

C. Task 3

The average magnitudes of several terms important in dynamical equations have been computed from data for 5-6 May 1959 and 28 July 1959. Discussions at the Conference on Tropical Meteorology⁴ revealed differing opinions regarding these magnitudes. Table II lists the results of our computations for the Caribbean.

Table II

AVERAGE MAGNITUDES OF DYNAMICAL TERMS

	Layer II	Layer V
Divergence	$0.9 \times 10^{-5} \text{ sec}^{-1}$	$1.5 \times 10^{-5} \text{ sec}^{-1}$
Vorticity	1.1×10^{-5}	3.0×10^{-5}
Resultant Deformation	1.4×10^{-5}	3.2×10^{-5}

It is rather surprising that these values are nearly as large as typical values computed for mid-latitudes.³ This may be due in part to the presence of unusually active circulations in the Caribbean during the periods under investigation.

Consideration has been given to several other topics, including the determination of synoptic-scale vertical motions from relative humidity changes experienced by parcels, objective techniques of kinematical forecasting, methods of applying the vorticity equation in the tropics, and use of the conventional balance equation to determine Z from ψ^* . These topics will be discussed in later reports.

III PROGRAM FOR THE NEXT QUARTER

The analyses for the period 5-8 May 1959 will be completed and a major effort will be expended in evaluation of the objectively computed streamfunction, divergence, vertical motions, etc. The effects of scale (areas considered) upon computed values will be investigated. Further studies related to dynamical quantities will be carried out. It is also expected that a scientific report describing the streamfunction computation will be begun. At this time, no definite plans for travel during the quarter have been made.

IV PERSONNEL

<u>Name</u>	<u>Time Devoted to Project this Quarter</u>
M. G.H. Ligda, Project Supervisor	Approximately 8 hours
R. M. Endlich, Project Leader	Approximately 175 hours
R. L. Mancuso, Research Meteorologist	Approximately 380 hours
J. R. Clark, Research Meteorologist	Approximately 45 hours
B. Crowell, Meteorological Aide	Approximately 55 hours
J. Weaver, Meteorological Aide	Approximately 20 hours

REFERENCES

1. Bergthórsson, P. and B. R. Döös, "Numerical Weather Map Analysis," Tellus 7, No. 3, pp. 329-340 (1955).
2. Cressman, G. P., "An Operational Objective Analysis System," Monthly Weather Review 87, No. 10, pp. 367-374 (1959).
3. Endlich, R. M. and J. R. Clark, "Computer-Processed Weather Analysis and Forecasting Aids," Final Report to U.S. Navy Weather Research Facility, Contract N189(188)-53756A, Stanford Research Institute, Menlo Park, California (1962).
4. Portig, W. H. and J. R. Gerhardt, "Summary Proceedings of the Conference on Tropical Meteorology," Signal Corps Contract No. DA 36-039 SC-89179, University of Texas, Austin, Texas (1962).

<p>AD STANFORD RESEARCH INSTITUTE, Menlo Park, California</p> <p>Div. 2/7</p> <p>OBJECTIVE AND DYNAMICAL STUDIES OF TROPICAL WEATHER PHENOMENA by R. M. Edlich and R. L. Mascuso. Report for September-November 1962, 14 pp. incl. illus. 4 refs., Report No. 2 Dept. of Army Proj. 3A99-27-025-09-00 Contract DA 36-039 SC-89092 UNCLASSIFIED report</p> <p>IBM card data for the Caribbean for the period 5-8 May 1959 were processed in the form of layer averages of wind components, height, temperatures and relative humidity. The averaged quantities were mapped by the computer, and subjective analyses were partially completed. A computer program for obtaining a streamfunction was completed. The streamfunction is made to fit observed winds, while observed heights are used as an initial guess. No boundary conditions are required. Analyses of computed values of vorti- city, divergence, and vertical motion were also begun, and average magnitudes of these quantities were determined.</p>	<p>UNCLASSIFIED</p> <p>1. Weather Phenomena— Tropical I R. M. Edlich II R. L. Mascuso III U.S. Army Electronic Research and Develop- ment Laboratory, Fort Monmouth, New Jersey IV Contract DA 36-039 SC-89092</p> <p>UNITED STATES ARMY IBM card data layer averages wind components height temperatures relative humidity subjective analyses computer program streamfunction observed winds observed heights vorticity divergence vertical motion</p>	<p>AD STANFORD RESEARCH INSTITUTE, Menlo Park, California</p> <p>Div. 2/7</p> <p>OBJECTIVE AND DYNAMICAL STUDIES OF TROPICAL WEATHER PHENOMENA by R. M. Edlich and R. L. Mascuso. Report for September-November 1962, 14 pp. incl. illus. 4 refs., Report No. 2 Dept. of Army Proj. 3A99-27-025-09-00 Contract DA 36-039 SC-89092 UNCLASSIFIED report</p> <p>IBM card data for the Caribbean for the period 5-8 May 1959 were processed in the form of layer averages of wind components, height, temperatures and relative humidity. The averaged quantities were mapped by the computer, and subjective analyses were partially completed. A computer program for obtaining a streamfunction was completed. The streamfunction is made to fit observed winds, while observed heights are used as an initial guess. No boundary conditions are required. Analyses of computed values of vorti- city, divergence, and vertical motion were also begun, and average magnitudes of these quantities were determined.</p>	<p>UNCLASSIFIED</p> <p>1. Weather Phenomena— Tropical I R. M. Edlich II R. L. Mascuso III U.S. Army Electronic Research and Develop- ment Laboratory, Fort Monmouth, New Jersey IV Contract DA 36-039 SC-89092</p> <p>UNITED STATES ARMY IBM card data layer averages wind components height temperatures relative humidity subjective analyses computer program streamfunction observed winds observed heights vorticity divergence vertical motion</p>	<p>AD STANFORD RESEARCH INSTITUTE, Menlo Park, California</p> <p>Div. 2/7</p> <p>OBJECTIVE AND DYNAMICAL STUDIES OF TROPICAL WEATHER PHENOMENA by R. M. Edlich and R. L. Mascuso. Report for September-November 1962, 14 pp. incl. illus. 4 refs., Report No. 2 Dept. of Army Proj. 3A99-27-025-09-00 Contract DA 36-039 SC-89092 UNCLASSIFIED report</p> <p>IBM card data for the Caribbean for the period 5-8 May 1959 were processed in the form of layer averages of wind components, height, temperatures and relative humidity. The averaged quantities were mapped by the computer, and subjective analyses were partially completed. A computer program for obtaining a streamfunction was completed. The streamfunction is made to fit observed winds, while observed heights are used as an initial guess. No boundary conditions are required. Analyses of computed values of vorti- city, divergence, and vertical motion were also begun, and average magnitudes of these quantities were determined.</p>	<p>UNCLASSIFIED</p> <p>1. Weather Phenomena— Tropical I R. M. Edlich II R. L. Mascuso III U.S. Army Electronic Research and Develop- ment Laboratory, Fort Monmouth, New Jersey IV Contract DA 36-039 SC-89092</p> <p>UNITED STATES ARMY IBM card data layer averages wind components height temperatures relative humidity subjective analyses computer program streamfunction observed winds observed heights vorticity divergence vertical motion</p>	<p>AD STANFORD RESEARCH INSTITUTE, Menlo Park, California</p> <p>Div. 2/7</p> <p>OBJECTIVE AND DYNAMICAL STUDIES OF TROPICAL WEATHER PHENOMENA by R. M. Edlich and R. L. Mascuso. Report for September-November 1962, 14 pp. incl. illus. 4 refs., Report No. 2 Dept. of Army Proj. 3A99-27-025-09-00 Contract DA 36-039 SC-89092 UNCLASSIFIED report</p> <p>IBM card data for the Caribbean for the period 5-8 May 1959 were processed in the form of layer averages of wind components, height, temperatures and relative humidity. The averaged quantities were mapped by the computer, and subjective analyses were partially completed. A computer program for obtaining a streamfunction was completed. The streamfunction is made to fit observed winds, while observed heights are used as an initial guess. No boundary conditions are required. Analyses of computed values of vorti- city, divergence, and vertical motion were also begun, and average magnitudes of these quantities were determined.</p>	<p>UNCLASSIFIED</p> <p>1. Weather Phenomena— Tropical I R. M. Edlich II R. L. Mascuso III U.S. Army Electronic Research and Develop- ment Laboratory, Fort Monmouth, New Jersey IV Contract DA 36-039 SC-89092</p> <p>UNITED STATES ARMY IBM card data layer averages wind components height temperatures relative humidity subjective analyses computer program streamfunction observed winds observed heights vorticity divergence vertical motion</p>
--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

<p>AD STANFORD RESEARCH INSTITUTE, Menlo Park, California</p> <p>Div. 2/7</p> <p>OBJECTIVE AND DYNAMICAL STUDIES OF TROPICAL WEATHER PHENOMENA by R. M. Edlich and R. L. Mancuso. Report for September-November 1962, 14 pp. incl. illus. 4 refs., Report No. 2 Dept. of Army Proj. 3A99-27-025-09-00 Contract DA 36-039 SC-89092 UNCLASSIFIED report</p> <p>IBM card data for the Caribbean for the period 5-8 May 1959 were processed in the form of layer averages of wind components, height, temperatures and relative humidity. The averaged quantities were mapped by the computer, and subjective analyses were partially completed. A computer program for obtaining a streamfunction was completed. The streamfunction is made to fit observed winds, while observed heights are used as an initial guess. No boundary conditions are required. Analyses of computed values of vorticity, divergence, and vertical motion were also determined.</p>	<p>UNCLASSIFIED</p> <p>1. Weather Phenomena-- Tropical I R. M. Edlich II R. L. Mancuso III U. S. Army Electronic Research and Development Laboratory, Fort Monmouth, New Jersey IV Contract DA 36-039 SC-89092</p> <p>INITIALS</p> <p>IBM card data layer averages wind components height temperatures relative humidity subjective analyses computer program streamfunction observed winds observed heights vorticity divergence vertical motion</p>
<p>AD STANFORD RESEARCH INSTITUTE, Menlo Park, California</p> <p>Div. 2/7</p> <p>OBJECTIVE AND DYNAMICAL STUDIES OF TROPICAL WEATHER PHENOMENA by R. M. Edlich and R. L. Mancuso. Report for September-November 1962, 14 pp. incl. illus. 4 refs., Report No. 2 Dept. of Army Proj. 3A99-27-025-09-00 Contract DA 36-039 SC-89092 UNCLASSIFIED report</p> <p>IBM card data for the Caribbean for the period 5-8 May 1959 were processed in the form of layer averages of wind components, height, temperatures and relative humidity. The averaged quantities were mapped by the computer, and subjective analyses were partially completed. A computer program for obtaining a streamfunction was completed. The streamfunction is made to fit observed winds, while observed heights are used as an initial guess. No boundary conditions are required. Analyses of computed values of vorticity, divergence, and vertical motion were also determined.</p>	<p>UNCLASSIFIED</p> <p>1. Weather Phenomena-- Tropical I R. M. Edlich II R. L. Mancuso III U. S. Army Electronic Research and Development Laboratory, Fort Monmouth, New Jersey IV Contract DA 36-039 SC-89092</p> <p>INITIALS</p> <p>IBM card data layer averages wind components height temperatures relative humidity subjective analyses computer program streamfunction observed winds observed heights vorticity divergence vertical motion</p>
<p>AD STANFORD RESEARCH INSTITUTE, Menlo Park, California</p> <p>Div. 2/7</p> <p>OBJECTIVE AND DYNAMICAL STUDIES OF TROPICAL WEATHER PHENOMENA by R. M. Edlich and R. L. Mancuso. Report for September-November 1962, 14 pp. incl. illus. 4 refs., Report No. 2 Dept. of Army Proj. 3A99-27-025-09-00 Contract DA 36-039 SC-89092 UNCLASSIFIED report</p> <p>IBM card data for the Caribbean for the period 5-8 May 1959 were processed in the form of layer averages of wind components, height, temperatures and relative humidity. The averaged quantities were mapped by the computer, and subjective analyses were partially completed. A computer program for obtaining a streamfunction was completed. The streamfunction is made to fit observed winds, while observed heights are used as an initial guess. No boundary conditions are required. Analyses of computed values of vorticity, divergence, and vertical motion were also determined.</p>	<p>UNCLASSIFIED</p> <p>1. Weather Phenomena-- Tropical I R. M. Edlich II R. L. Mancuso III U. S. Army Electronic Research and Development Laboratory, Fort Monmouth, New Jersey IV Contract DA 36-039 SC-89092</p> <p>INITIALS</p> <p>IBM card data layer averages wind components height temperatures relative humidity subjective analyses computer program streamfunction observed winds observed heights vorticity divergence vertical motion</p>
<p>AD STANFORD RESEARCH INSTITUTE, Menlo Park, California</p> <p>Div. 2/7</p> <p>OBJECTIVE AND DYNAMICAL STUDIES OF TROPICAL WEATHER PHENOMENA by R. M. Edlich and R. L. Mancuso. Report for September-November 1962, 14 pp. incl. illus. 4 refs., Report No. 2 Dept. of Army Proj. 3A99-27-025-09-00 Contract DA 36-039 SC-89092 UNCLASSIFIED report</p> <p>IBM card data for the Caribbean for the period 5-8 May 1959 were processed in the form of layer averages of wind components, height, temperatures and relative humidity. The averaged quantities were mapped by the computer, and subjective analyses were partially completed. A computer program for obtaining a streamfunction was completed. The streamfunction is made to fit observed winds, while observed heights are used as an initial guess. No boundary conditions are required. Analyses of computed values of vorticity, divergence, and vertical motion were also determined.</p>	<p>UNCLASSIFIED</p> <p>1. Weather Phenomena-- Tropical I R. M. Edlich II R. L. Mancuso III U. S. Army Electronic Research and Development Laboratory, Fort Monmouth, New Jersey IV Contract DA 36-039 SC-89092</p> <p>INITIALS</p> <p>IBM card data layer averages wind components height temperatures relative humidity subjective analyses computer program streamfunction observed winds observed heights vorticity divergence vertical motion</p>

DISTRIBUTION LIST

ORGANIZATION	NO. OF COPIES	ORGANIZATION	NO. OF COPIES
ARDC Liaison Office U.S. Army Electronics Research and Development Laboratory Attn: SELRA/SL-LNA, Fort Monmouth, New Jersey	1	Commanding Officer and Director U.S. Navy Electronics Laboratory San Diego 52, California	1
U.S. Navy Electronics Liaison Office U.S. Army Electronics Research and Development Laboratory Attn: SELRA/SL-LNS, Fort Monmouth, New Jersey	1	Commander WADD (WOOSI-3) Wright-Patterson Air Force Base Ohio	2
Commanding Officer U.S. Army Electronics Research and Development Laboratory Attn: SELRA/SL-DR, Fort Monmouth, New Jersey	1	Commanding General U.S. Army Electronic Proving Ground Attn: Technical Library, Fort Huachuca, Arizona	1
Commanding Officer U.S. Army Electronics Research and Development Laboratory New Jersey Attn: SELRA/SL-ADT	1	Commander Armed Services Technical Information Agency Arlington Hall Station Arlington 12, Virginia Attn: TIPDR	10
Commanding Officer U.S. Army Electronics Research and Development Laboratory Attn: SELRA/SL-ADJ (Responsible File and Record Unit) Fort Monmouth, New Jersey	1	Commander Air Force Command and Control Development Division Air Research and Development Command USAF Attn: CRZC, Dr. M. R. Nagel, Lawrence Hanscom Field, Bedford, Massachusetts	1
Commanding Officer U.S. Army Electronics Research and Development Laboratory Attn: SELRA/SL-TMR Fort Monmouth, New Jersey	3	Chairman U.S. Army Chemical Corps Meteorological Committee Fort Detrick, Frederick, Maryland	1
Commanding Officer U.S. Army Electronics Research and Development Laboratory Attn: SELRA/SL-SMA Fort Monmouth, New Jersey	7	Chief Meteorology Division U.S. Army Chemical Corps Proving Ground Dugway Proving Ground Utah	1
OASD (RAE) Room 3E1065 The Pentagon Attn: Technical Library Washington 25, D. C.	1	Chemical Research and Development Laboratories Technical Library Army Chemical Center Edgewood, Maryland	1
Office of the Chief Research and Development Department of the Army Attn: CRD/M, Washington 25, D. C.	1	Director Atmospheric Sciences Programs National Science Foundation Washington 25 D. C.	1
Commanding General U.S. Army Electronics Command Attn: AMSFL, Fort Monmouth, New Jersey	1	Director Bureau of Research and Development Federal Aviation Agency Washington 25, D. C.	1
Director U.S. Naval Research Laboratory Attn: Code 2027 Washington 25, D. C.	1	Chief Bureau of Naval Weapons (FAME) U. S. Navy Department Washington 25, D. C.	1

DISTRIBUTION LIST

ORGANIZATION	NO. OF COPIES	ORGANIZATION	NO. OF COPIES
Officer-in-Charge Meteorological Curriculum U.S. Naval Post Graduate School Monterey, California	1	Director of Meteorology Research Weather Bureau Washington 25, D. C.	1
Office of Naval Research U.S. Navy Department Washington 25, D. C.	1	Mr. C. Gentry National Hurricane Research Project Aviation Bldg Room 517 3240 N. W. 27th Avenue Miami 42, Florida	1
U.S. Naval Research Laboratory (Code 7110) Washington 25, D. C.	1	The University of Texas Electrical Engineering Research Laboratory Austin, Texas Attn: Mr. Gerhardt	1
Director U.S. Naval Weather Service U.S. Naval Station Washington 25, D. C.	1	Department of Meteorology University of Wisconsin Madison, Wisconsin	1
Officer-in-Charge U.S. Naval Weather Research Facility U.S. Naval Air Station Bldg. R48 Norfolk, Virginia	1	Institute for Geophysics University of California Los Angeles, California Attn: Dr. C. Palmer	1
Commanding General Army Ordnance Missile Command Redstone Arsenal, Alabama Attn: AMSMI/PRA Dr. O. M. Essenwanger	1	Department of Meteorology University of Washington Seattle, Washington Attn: Dr. Buettner	1
Commanding Officer U.S. Army Signal Missile Support Agency White Sands Missile Range New Mexico Attn: Missile Geophysics Div.	1	Department of Meteorology Texas A and M College College Station, Texas Attn: Dr. W. Clayton	1
The American Meteorological Society Abstracts and Bibliography P.O. 1736 Attn: Mr. M. Rigby Washington 13, D. C.	1	Meteorology Department Florida State University Tallahassee, Florida Attn: Dr. La Seur	1
Office of Technical Services Department of Commerce Washington 25, D. C.	1	Meteorology Department University of Chicago Chicago, Illinois Attn: Dr. Fujita	1
Library National Bureau of Standards Washington 25, D. C.	1	Meteorology Department Pennsylvania State College State College, Pennsylvania	1
Director National Weather Records Center Arcade Building Attn: Mr. Fox, Asheville, North Carolina	1	Mr. H. Hiser Radar Met. Section, University of Miami Miami, Florida	1
Library U.S. Weather Bureau Washington 25, D. C.	1	Dr. E. B. Kraus Woods Hole Oceanographic Institute Woods Hole Massachusetts	1
Climatic Center U.S. Air Force Annex 2 225 D. Street S. E. Washington 25, D. C.	1	Dr. A. Belmont General Mills Electronics Group 2003 E. Hennepin Avenue Minneapolis 13, Minnesota	1
		Dr. H. Riehl Department of Atmospheric Science Colorado State University Fort Collins, Colorado	1

DISTRIBUTION LIST

ORGANIZATION	NO. OF COPIES	ORGANIZATION	NO. OF COPIES
Dr. E. Kessler, Travelers Research Center 650 Main Street Hartford 3, Connecticut	1	Capt. Carl J. Wiederanders, Hqs. Air Weather Service Scott Field, Illionis	1
Dr. W. Saucier University of Oklahoma Norman, Oklahoma	1	Mr. F. E. Courtney Nuclear Products Division Lockheed Aircraft Corporation Marietta, Georgia	1
Dr. C. Ramage Department of Meteorology and Oceanography University of Hawaii Honolulu 44, Hawaii	1	Mr. James R. Clark, Meteorology International Inc. P. O. Box 1364 Monterey, California	1

**STANFORD
RESEARCH
INSTITUTE**

**MENLO PARK
CALIFORNIA**

Regional Offices and Laboratories

Southern California Laboratories
820 Mission Street
South Pasadena, California

Washington Office
808 17th Street, N.W.
Washington 5, D.C.

New York Office
270 Park Avenue, Room 1770
New York 17, New York

Detroit Office
The Stevens Building
1025 East Maple Road
Birmingham, Michigan

European Office
Pelikanstrasse 37
Zurich 1, Switzerland

Japan Office
911 Iino Building
22, 2-chome, Uchisaiwai-cho, Chiyoda-ku
Tokyo, Japan

Representatives

Honolulu, Hawaii
Finance Factors Building
195 South King Street
Honolulu, Hawaii

London, England
19 Upper Brook Street
London, W. 1, England

Milan, Italy
Via Macedonio Melloni 40
Milano, Italy

London, Ontario, Canada
P.O. Box 782
London, Ontario, Canada